

PLEASE AMEND THE CLAIMS AS FOLLOWS:

1. (Currently Amended) A computer program product for managing execution of an application according to a lifecycle, the computer program product comprising:
 - a computer-readable medium storing computer-readable instructions thereon, the computer-readable instructions including:
 - instructions for receiving a state change request from the application, the state change request indicating a request from the application that an application manager initiate a change in state of the application from a first state to a second state; and
 - instructions for initiating the state change of the application in response to the state change request received from the application when the second state is an allowable state according to a specified set of rules.
2. (Original) The computer program product as recited in claim 1, wherein the second state is an active state indicating that the application is currently executing.
3. (Currently Amended) ~~A computer program product for~~ A method of managing execution of an application according to a lifecycle, ~~the computer program product comprising:~~
 - ~~a computer-readable medium storing computer-readable instructions thereon, the computer-readable instructions including:~~
 - ~~instructions for~~ receiving a signal indicating that a new service is selected;
 - ~~instructions for~~ initiating execution of the application when the new service is selected such that the application enters an active state;
 - ~~instructions for~~ pausing execution of the application such that the application enters a paused state from the active state;
 - ~~instructions for~~ receiving a resume request from the application that has been paused indicating that the application wishes to resume execution and enter the active state from the paused state; and
 - ~~instructions for~~ starting execution of the application from which the resume request was received such that the application enters the active state from the paused state when the resume request is received from the application.

4. (Currently Amended) A ~~computer program product for~~ method of managing execution of a plurality of applications according to a lifecycle, ~~the computer program product~~ comprising:

~~a computer readable medium storing computer readable instructions thereon, the computer readable instructions including:~~

~~instructions for~~ initiating execution of each one of the plurality of applications such that the plurality of applications enter an active state;

~~instructions for~~ pausing execution of one of the plurality of applications such that the one of the plurality of applications enters a paused state from the active state;

~~instructions for~~ receiving a resume request from ~~the one or more of the plurality of the~~ applications that has been paused, the resume request indicating that the one ~~or more~~ of the plurality of applications requests ~~request~~ to resume execution and enter the active state from the paused state; and

~~instructions for selecting one of the one or more of the plurality of applications from which the resume request was received; and~~

~~starting execution of the selected- one of the plurality of applications application- from which the resume request was received such that the selected- one of the plurality of applications application enters the active state from the paused state in response to receiving the resume request from the application.~~

5. (Currently Amended) A ~~computer program product for~~ method of managing execution of an application according to a lifecycle, ~~the computer program product~~ comprising:

~~a computer readable medium storing computer readable instructions thereon, the computer readable instructions including:—~~

~~instructions for~~ requesting a first time that the application change its state from a first state to a second state by sending a request to the application, wherein the request is a conditional request that is conditional upon the application's decision to change from the first state to the second state;

~~instructions for~~ determining whether the application has changed its state from the first state to the second state; and

~~instructions for~~ requesting a second time that the application change its state from the first state to the second state when it is determined that the application has not changed its state from the first state to the second state and a predetermined condition is satisfied.

6. (Currently Amended) The ~~computer program product~~ method as recited in claim 5, wherein the predetermined condition indicates that a specified period of time has elapsed or that the application is now able to perform the requested state change.
7. (Currently Amended) The ~~computer program product~~ method as recited in claim 5, wherein it is determined that the application has not changed its state when a state change exception is raised by the application.
8. (Currently Amended) The ~~computer program product~~ method as recited in claim 5, wherein it is determined that the application has not changed its state when the application rejects the requested state change.
9. (Currently Amended) The ~~computer program product~~ method as recited in claim 5, wherein it is determined that the application has not changed its state when the application is unable to perform the requested state change.
10. (Currently Amended) A ~~computer program product for~~ method of managing execution of an application according to a lifecycle, ~~the computer program product~~ comprising:
 ~~a computer readable medium storing computer readable instructions thereon, the computer readable instructions including:—~~
 ~~instructions for requesting that an the application change its state from a first state to a second state; requesting that the application change its state from a first state to a second state by sending a request to the application, wherein the request is a conditional request that is conditional upon the application's decision to change from the first state to the second state;~~
 ~~instructions for determining whether the application has changed its state from the first state to the second state; and~~
 ~~instructions for requesting that the application change its state from the first state to a third state when it is determined that the application has not changed its state from the first state to the second state.~~
11. (Currently Amended)The method ~~computer program product~~ as recited in claim 10, wherein the first state is an active state indicating that the application is currently executing, the second state is a destroyed state indicating that the execution of the application has terminated,

and the third state is a paused state indicating that execution of the application has paused such that the application can resume execution.

12. (Currently Amended) The method ~~computer program product~~ as recited in claim 10, wherein it is determined that the application has not changed its state when a state change exception is raised by the application.

13. (Currently Amended) The ~~computer program product~~ method as recited in claim 10, wherein it is determined that the application has not changed its state when the application rejects the requested state change.

14. (Original) The ~~computer program product~~ method as recited in claim 10, wherein it is determined that the application has not changed its state when the application is unable to perform the requested state change.

15. (Currently Amended) ~~A computer program product~~ An apparatus for managing execution of an application according to a lifecycle, ~~the computer program product~~ comprising:

a processor; and

a memory, at least one of the processor and the memory being adapted for:

~~— a computer readable medium storing computer readable instructions thereon, the computer readable instructions including: —~~

~~instructions for requesting that a first application change its state from a first state to a second state;~~

~~instructions for determining whether the first application has changed its state from the first state to the second state; and~~

~~— instructions for requesting that a second application change its state from the first state to the second state when it is determined that the first application has not changed its state from the first state to the second state.—~~

requesting a first time that the application change its state from a first state to a second state by sending a request to the application, wherein the request is a conditional request that is conditional upon the application's decision to change from the first state to the second state;

instructions for determining whether the application has changed its state from the first state to the second state; and

~~instructions for~~ requesting a second time that the application change its state from the first state to the second state when it is determined that the application has not changed its state from the first state to the second state and a predetermined condition is satisfied.

16. (Currently Amended) The ~~computer program product~~ apparatus as recited in claim 15, wherein the first state is an active, paused, or loaded state and the second state is a destroyed state indicating that the application is terminated.

17. (Currently Amended) The ~~computer program product~~ apparatus as recited in claim 15, wherein it is determined that the first application has not changed its state when a state change exception is raised by the first application.

18. (Currently Amended) The ~~computer program product~~ apparatus as recited in claim 17, wherein the second state is an active state indicating that the application is being executed, and the state change exception is raised by the first application when the first application has entered itself into a paused state or a terminated state.

19. (Currently Amended) The ~~computer program product~~ apparatus as recited in claim 15, wherein it is determined that the first application has not changed its state when the first application rejects the requested state change.

20. (Currently Amended) The ~~computer program product~~ apparatus as recited in claim 15, wherein it is determined that the first application has not changed its state when the first application is unable to perform the requested state change.

21. (Previously Amended) A system for managing execution of an application according to a lifecycle, the system comprising:

one or more rules; and

an application manager capable of executing one or more applications according to the lifecycle, the lifecycle enabling each of the applications to enter one of a plurality of states in response to one or more associated predetermined commands, the application manager capable of selecting one of the predetermined commands to execute according to the one or more rules.

22. (Original) The system as recited in claim 21, further comprising:
a signaling monitor coupled to the application manager and capable of receiving a data stream, the signal monitor adapted for determining whether an application is present in the data stream and communicating information associated with the application to the application manager.
23. (Original) The system as recited in claim 21, wherein the application manager is configured to store an application context for each of the applications, the application context identifying a current one of the plurality of states.
24. (Original) The system as recited in claim 23, wherein the current one of the plurality of states is identified by the associated application to the application manager.
25. (Original) The system as recited in claim 23, wherein the application context further identifies a class loader capable of loading one or more classes associated with the application.
26. (Original) The system as recited in claim 23, wherein the application context further identifies a display context including display information to be displayed.
27. (Previously Amended) The system as recited in claim 23, wherein the application context further identifies an application environment object enabling the application to communicate with the application manager.
28. (Previously Amended) The system as recited in claim 23, wherein the application context further identifies an application environment object that enables the application to retrieve properties associated with its runtime environment.
29. (Previously Amended) The system as recited in claim 23, wherein the application context further identifies an application environment object that enables the application to communicate a state change of the application to one of the plurality of states.
30. (Previously Amended) The system as recited in claim 23, wherein the application context further identifies an application environment object that enables the application to

request that the application manager change the current state of the application from a paused state to an active state.

31. (Original) The system as recited in claim 21, further comprising:

a display manager coupled to the application manager and adapted for managing a display context for each of the applications, the display context being in a first state when the display context is visible and being in a second state when the display context is invisible.

32. (Previously Amended) The system as recited in claim 31, wherein the display context is in the first state when the application is in an active state and in the second state when the application is in a paused state.

33. (Original) The system as recited in claim 31, wherein the state of the display context is determined according to the one or more rules followed by the application manager.

34. (Previously Amended) A digital television receiver for managing execution of an application according to a lifecycle, comprising:

a processor; and

instructions including:

instructions for determining from a data stream whether an application is present in the data stream;

instructions for loading an application when it is determined that an application is present in the data stream; and

instructions for executing the loaded application according to the lifecycle, the lifecycle including a plurality of states.

35. (Previously Amended) The digital television receiver as recited in claim 34, wherein the instructions for executing the application comprise:

a first interface that is visible to an application manager, the first interface adapted for enabling the application manager to cause the application to change from one of the plurality of states to another one of the plurality of states; and

a second interface that is visible to the application, the second interface adapted for enabling the application to communicate to the application manager a state change of the

application from one of a first set of the plurality of states to one of a second set of the plurality of states.

36. (Original) The digital television receiver as recited in claim 35, wherein the second set of the plurality of states includes a paused state indicating that the application has been paused and a destroyed state indicating that the application has been terminated.

37. (Original) The digital television receiver as recited in claim 34, wherein the instructions for executing the application comprise:

a first interface that is visible to an application manager, the first interface adapted for enabling the application manager to cause the application to change its state from one of the plurality of states to another one of the plurality of states; and

a second interface that is visible to the application, the second interface adapted for enabling the application to request that the application manager change the state of the application to a first one of the plurality of states.

38. (Original) The digital television receiver as recited in claim 37, further comprising: instructions for changing the state of the application from a second one of the plurality of states to the first one of the plurality of states.

39. (Original) The digital television receiver as recited in claim 38, wherein the first state is an active state and the second state is a paused state.

40. (Original) The digital television receiver as recited in claim 34, wherein the instructions for executing the application comprise:

a first interface that is visible to an application manager, the first interface adapted for enabling the application manager to cause the application to change its state from one of the plurality of states to another one of the plurality of states; and

a second interface that is visible to the application, the second interface adapted for enabling the application to communicate to the application manager that the application cannot change its state as the application manager has requested.

41. (Original) The digital television receiver as recited in claim 40, further comprising:
instructions enabling the application to raise a state change exception indicating that the application cannot change its state as the application manager has requested.
42. (Original) The digital television receiver as recited in claim 40, further comprising:
instructions enabling the application to raise a state change exception indicating that the application does not want to change its state as the application manager has requested.
43. (Original) The digital television receiver as recited in claim 36, further comprising:
instructions for releasing memory associated with the application when the application has been terminated.
44. (Currently Amended) The digital television receiver as recited in claim 34, further comprising:
instructions for creating a class loader associated with each application such that a class loader is associated with the application, the class loader being adapted for loading one or more classes associated with the application;
instructions for employing the class loader to load the classes associated with the application; and
instructions for instantiating the application using the classes that have been loaded by the class loader.
45. (Original) The digital television receiver as recited in claim 44, further comprising:
instructions for unloading the classes associated with the application when the application is terminated.
46. (Original) The digital television receiver as recited in claim 45, wherein the instructions for unloading the classes comprise:
instructions for de-referencing the class loader.

Please **ADD** new claims as follows:

47. The method as recited in claim 5, wherein the second state is termination.

48. The method as recited in claim 5, wherein the request includes a parameter, the parameter when in a first state indicating that the state change is conditional and unconditional when in a second state.